

CS AutoCav 3 1/2" Commercial

Single Cavity Slider Pocket Frame To Suit: 5/8" (16mm) Linings (Dry Wall) & Flat Jambs





11 " Teandard Above Door Clearance

[17.50mm]

Floor clearance adjustable to give 7/8" - 1 3/16" (22 - 30mm) gap. If less gap required a taller door or smaller cavity slider pocket frame must be specified

[90mm]

3 1/2"

Stud Size

STD Clearance

Componentry Access Opening

[118.85mm]

 $\left[55.15 \text{mm}\right]$ $2\frac{5}{32}$ "

[16mm]


Dry Wall

2"

Commericial Autocav Notes (Single):

- Minimum door width of 34" (860mm).
 - For smaller doors see **AutoCav Residential** or please consult our sales team
- Maximum door weight 500lbs (230Kg).
- Access Panel Handing Required for Order
 - Drawn As Left Hand Unit
- Access Panels are Site Built Not Provided by CS

Part Number			The information contained in this drawing is the sole property of Cavity Silders USA Lnc. Any reproduction, disclosure or use of this document, without the written permission of Cavity Silders USA Inc, is strictly prohibited.	
Units			*	
Measurements in mm & Inches			E CavitySliders	
Scale		Sheet	Quality Sliding Door Hardware	
Not to	Scale		548 Finney Ct, Gardena, CA 90248	
Date 7/12/2	2020	Rev. -01	Phone +1 (888) 466 0030 Fax +1 (310) 769 5824 www.cavitysliders.com	




CS AutoCav 3 1/2" Commercial

Single Cavity Slider Pocket Frame To Suit: 5/8" (16mm) Linings (Dry Wall) & Flat Jambs

Part Number		The information contained in this drawing is the sole property of Cavity Silders USA Lnc. Any reproduction, disclosure or use of this document, without the written permission of Cavity Silders USA Inc, is strictly prohibited.
Units Measurements in mm	& Inches	CavitySliders Quality Sliding Door Hardware 548 Finney Ct, Gardena, CA 90248 Phone +1 (888) 466 0030 Fax +1 (310) 769 5824 www.cavitysliders.com
Scale Not to Scale	Sheet 2 of 3	
Date 7/12/2020	Rev. -01	

CS AutoCav 3 1/2" Commercial

Bi-Parting Cavity Slider Pocket Frame To Suit: 5/8" (16mm) Linings (Dry Wall) & Flat Jambs



Commericial Autocav Notes (Bi-Parting):

- Minimum door width of 34" (860mm).
 - For smaller doors see AutoCav Residential or please consult our sales team
- Maximum door weight 285lbs per Door (130Kg).
 - Total System Weight 570lbs (260Kg)
 - For heavier doors please consult our sales team
- Access Panels are Site Built Not Provided by CS
 - Handing not required for Bi-parting Units

Part Number		The information contained in this drawing is the sole property of Cavity Silders USA Lnc. Any reproduction, disclosure or use of this document, without the written permission of Cavity Silders USA Inc, is strictly prohibited.
Units Measurements in mm	& Inches	CavitySliders Ouality Sliding Door Hardware 548 Finney Ct, Gardena, CA 90248 Phone +1 (888) 466 0030 Fax +1 (310) 769 5824 www.cavitysliders.com
Scale Not to Scale	Sheet 3 of 3	
Date 7/12/2020	Rev. -01	